


Site Code: MNO12	Location: <i>AREA C</i>	Grid Sq: <i>130/205</i> <i>135/205</i>	Context Type: <i>Deposit</i>	Context Number: <i>3100</i>
Deposit				Cut
1. Compaction	1. not v. COMPACT			1. Shape in Plan
2. Colour	2. mid greenish grey			2. Corners
3. Composition	3. sandy silt			3. Dimensions
4. Inclusions	4. frequent CBM (20-60mm), med.			4. Break of slope - Top
5. Interface	Charcoal flecks (2-20mm), freq. sub squared			5. Sides
6. Dimensions	stones (2-20mm), freq. squared stones (20-40mm)			6. Break of slope - Base
7. Other Comments	occ. oyster shell			7. Base
8. Method/Conditions	Text			8. Orientation
	5. good interface with clinker above and gravel below			9. Inclination
	6.			10. Truncation
	7.			11. Other comments
	8. mattock, shovel / dry-warm			
				Max Level: <i>8.47</i> m OD
				Min Level: <i>8.29</i> m OD



Interpretation:	Internal	<u>External</u>	Structural
Greenish grey sandy silt deposit within barrel vault [3003]. likely a floor makeup deposit to raise floor level. Beneath clinker surface (3093).			
Context same as: (3090)			

Finds: None <input type="checkbox"/> Pot <input checked="" type="checkbox"/> Bone <input checked="" type="checkbox"/> Glass <input type="checkbox"/> Metal <input type="checkbox"/> CBM <input checked="" type="checkbox"/> Flint <input type="checkbox"/> Wood <input type="checkbox"/> Leather <input type="checkbox"/>	
Other (specify):	
Sample No(s):	Drawing No(s): <i>3100</i> (x 2)
Photo No(s): <i>M</i>	Sketch/levels overleaf: <input checked="" type="checkbox"/> Transferred to plan: <input checked="" type="checkbox"/>

Compiled by: <i>MK</i>	Date: <i>24/04/2015</i>	Checked by: <i>csldis</i>	Tick when entered in database: <input type="checkbox"/>
---------------------------	----------------------------	------------------------------	---------------------------------------------------------

Context Number:
3100

Level No.s 1-
TBM 11.40
B/S -0.23
IH 11.17 m OD

Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)
1	2.70	8.47	6	2.88	8.29						
2	2.76	8.41	7	2.80	8.37						
3	2.74	8.43	8	2.77	8.40						
4	2.79	8.33									
5	2.82	8.35									

