


| | | | | |
|---|--|--------------------------|--------------------------|---------------------------|
| Site Code: MNO12 | Location: AREA C | Grid Sq: 150 / 205 | Context Type: MASONRY | Context Number: [3604] |
| 1. Materials | ① MID PURPLE RED UNFROGGED BRICK | | | |
| 2. Size of materials (brick: BTL in mm) | ② 100mm x 70mm x 230mm | | | |
| 3. Finish of stones | ③ N/A | | | |
| 4. Coursing / bond | ④ STITCHERS ON BED | | | |
| 5. Form | ⑤ BRICK WALL REBUILD. | | | |
| 6. Direction of face(s) | ⑥ VERTICAL, N-S | | | |
| 7. Surface treatment | ⑦ NONE | | | |
| 8. Bonding material (if brick: record height of 4 courses & 4 bed joints in m) | ⑧ LIGHT GREY WHITE SANDY LIME MORTAR - FRISBLE OCCASIONAL LIME LUMPS ≤ 10mm. ONLY 23 COURSES = 0.23m. | | | |
| 9. Dimensions of masonry as found | ⑨ N-S 0.35m, E-W 1.38m, D 0.23m. | | | |
| 10. Other comments | ⑩ NONE. | | | |
| | | | | Max Level: 10.76 m OD |
| | | | | Min Level: 10.77 m OD |

Stratigraphic Relationships:



Physical Relationships:

| | |
|-------------|-------------|
| Abuts: 3136 | Abutted by: |
| Cut by: | |

| | | |
|---|----------|----------|
| Interpretation: | internal | external |
| REBUILT/REPAIRED BRICK WALL RUNNING E-W ON ^{TOP} OF NORTHERN PORTION OF BRICK WALL [3136]. | | |
| REPAIRED/REBUILT DUE TO DIFFERENT MORTAR ON TOP. | | |
| POSS REPAIRED DUE TO DISTURBANCE FROM INSERTION OF MODERN DRAINS. | | |
| Context same as: | | |

| | |
|---------------|---|
| Sample No(s): | Drawing No(s): (x 1) |
| Photo No(s): | Sketch/levels overleaf: <input checked="" type="checkbox"/> Transferred to plan: <input checked="" type="checkbox"/> |

| | | | |
|--------------------|-------------------|-------------------------|---|
| Compiled by: TS | Date: 03/06/15 | Checked by: as/10/15 | Tick when entered in database: <input type="checkbox"/> |
|--------------------|-------------------|-------------------------|---|

Context Number:
3604

Level No.s
TBM 10.11.40
B/S 0.85
IH 12.25

Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

| No. | F/S | R/L (m OD) | No. | F/S | R/L (m OD) | No. | F/S | R/L (m OD) | No. | F/S | R/L (m OD) |
|-----|------|------------|-----|-----|------------|-----|-----|------------|-----|-----|------------|
| 1 | 1.37 | 10.86 | | | | | | | | | |
| 2 | 1.48 | 10.77 | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

