


Site Code: MNO12	Location: AREA D	Grid Sq: 135 215 ¹³⁵ / ₂₂₀	Context Type: MASONRY	Context Number: 3699
1. Materials	① MID ORANGE RED, UNFROGGED BRICK			
2. Size of materials (brick: BTL in mm)	② 100mm x 70mm x 230mm			
3. Finish of stones	③ N/A.			
4. Coursing / bond	④ STRECHERS ON RED			
5. Form	⑤ BRICK DRAIN WITH BRICK BASE.			
6. Direction of face(s)	⑥ VERTICAL, WP - E-W			
7. Surface treatment	⑦ NONE.			
8. Bonding material (if brick: record height of 4 courses & 4 bed joints in m)	⑧ MID YELLOWISH GREY SANDY LIME MORTAR. MODERATE CHARCOAL FLECKS ≤ 20mm, OCCASIONAL LIME LUMPS ≤ 10mm, OCCASIONAL SUB ANGULAR STONES ≤ 40mm. ONLY X3 COURSES REMAINING = 0.24m			
9. Dimensions of masonry as found	⑨ N-S 2.18m, E-W 0.62m D 0.40m			
10. Other comments	⑩ NONE			
				Max Level: 10.77 m OD Min Level: 10.43 m OD

Stratigraphic Relationships:



Physical Relationships:

Abuts:	Abutted by:
Cut by: <u>3695</u>	

Interpretation:	internal	external
DRAIN CHANNING N-S THROUGH GEORGIAN BUILDING.		
DRAIN IS BRICK BUILT WITH BRICK BASE. BASE IS X1 COURSE, SIDES SHRINE TO X3 COURSES HIGH, BUT WOULD LIKELY HAVE BEEN HIGHER, ROOF HAS COLLAPSED.		
DRAIN SLOPES DOWN TO NORTH, SUGGESTING FLOW OF WATER/WASTE GOING S TO NORTH.		
DRAIN TRUNCATED TO SOUTH BY MODERN DISTURBANCE.		
TRUNCATED TO NORTH BY CONSTRUCTION CUT FOR PARTY WALL [3695], FOR PARTY WALL [3694]. SHOWS DRAIN PREDATES GEORGIAN BUILDING WHICH IT SITS IN.		
Context same as:		

Sample No(s): BRICK x2 SAMPLE PACKS.	Drawing No(s): 3699 (x2)
Photo No(s): 6713-6723	Sketch/levels overleaf: <input checked="" type="checkbox"/> Transferred to plan: <input checked="" type="checkbox"/>

Compiled by: AS	Date: 10/06/15	Checked by: as/10/15.	Tick when entered in database: <input type="checkbox"/>
--------------------	-------------------	--------------------------	---

Context Number:
3699

Level No.s 1-30
TBM 11.40
B/S 0.99
IH 12.39

Level No.s 31-34
TBM 11.40
B/S 0.87
IH 12.27

Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)
1	1.89	10.50	6	1.82	10.57	11	1.77	10.62	16	1.75	10.64
2	1.91	10.48	7	1.88	10.51	12	1.82	10.57	17	1.87	10.52
3	1.79	10.60	8	1.82	10.57	13	1.87	10.52	18	1.70	10.69
4	1.85	10.54	9	1.83	10.56	14	1.82	10.57	19	1.68	10.71
5	1.80	10.59	10	1.75	10.64	15	1.76	10.63	20	1.67	10.72

21	1.67	10.72	26	1.81	10.58	31	1.77	10.50
22	1.89	10.50	27	1.85	10.54	32	1.78	10.49
23	1.68	10.71	28	1.66	10.73	33	1.81	10.46
24	1.75	10.64	29	1.64	10.75	34	1.84	10.43
25	1.62	10.77	30	1.99	10.40			

