


Site Code: MNO12	Location: AREA C	Grid Sq: 150/215 155/215	Context Type: MASONRY	Context Number: 3553 (1/2)
1. Materials	1. BRICK (LIGHT - MID ORANGEY RED, HARD, UNPROGLED), (MID ORANGEY YELLOW HARD UNPROGLED) - MOSTLY RED BRICKS, OCCA. YELLOW			
2. Size of materials (brick: BTL in mm)	2. RED BRICKS: 105 x 65 x 225 mm			
3. Finish of stones	① YELLOW BRICKS:			
4. Coursing / bond	3. MOUNDEN BRICKS			
5. Form	4. ONE BRICK THICK, CIRCULAR PROFILE DRAIN			
6. Direction of face(s)	SEE SKETCH FOR MORE DETAIL			
7. Surface treatment	5. BRICK DRAIN			
8. Bonding material (if brick: record height of 4 courses & 4 bed joints in m)	6. -			
9. Dimensions of masonry as found	7. -			
10. Other comments	8. MORTAR (CREAMY GREY, LIMESTONE AND CHARCOAL INCLUSIONS, SOFT), (LIGHT BEIGE, SANDY, FRIABLE) (MID GREY, V. HARD, CONCRETE-LIKE)			Max Level: 10.50 m OD
	9. 6.20m E-W, 2.8m N-S			Min Level: 10.07m OD

Stratigraphic Relationships:



Physical Relationships:

Abuts:	Abutted by: [3573] [3571] [3568] [3575]
Cut by: [3393] [3580] [3691]	

Interpretation:	internal	external
CURVILINEAR BRICK DRAIN, CIRCULAR PROFILE. MAY BE CURVING TO AVOID SOMETHING - A CELLAR? HAS BEEN TRUNCATED BY A LATER DRAIN CUT TO THE NW. THE TOP EAST OF THE TRUNCATION IS VERY IRREGULAR AND MAY HAVE BEEN REPAIRED SEVERAL TIMES, E. 3 TIMES IN E.C. AREA.		
Context same as:		

Sample No(s): 2 BRICKS	Drawing No(s): 3553 (x2)
Photo No(s): 6481 - 6488	Sketch/levels overleaf: <input checked="" type="checkbox"/> Transferred to plan: <input checked="" type="checkbox"/>

Compiled by: JG	Date: 01/06/15	Checked by: a studios	Tick when entered in database: <input type="checkbox"/>
-----------------	----------------	-----------------------	---

Context Number:
3553

Level No.s 1-31
TBM 11.40
B/S 0.56
IH 11.96


Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)
1	1.46	10.50	6	1.58	10.38	11	1.50	10.46	16	1.70	10.26
2	1.56	10.40	7	1.48	10.48	12	1.52	10.44	17	1.56	10.40
3	1.52	10.44	8	1.56	10.40	13	1.53	10.43	18	1.61	10.35
4	1.46	10.50	9	1.49	10.47	14	1.60	10.36	19	1.51	10.45
5	1.60	10.36	10	1.55	10.41	15	1.57	10.39	20	1.85	10.11
21	1.72	10.24	24	1.86	10.10	29	1.63	10.33			
22	1.65	10.31	25	1.64	10.32	30	1.61	10.35			
23	1.79	10.17	26	1.77	10.19	31	1.50	10.46			
			27	1.88	10.08						
			28	1.88	10.08						


SKETCH PROFILE



N.T.S.

- soft mid yellowish light sand mortar with charcoal incl. (0-2mm)
- med. hard light grey lime mortar with limestone (2-4mm) and charcoal incl (0-2mm)
- very hard mid grey mortar (concrete?)


the top part of the drain curve seems to be repaired at some point. 3 different mortars noticed, as well as yellow stack bricks.



Sketch Plan & Notes

Site Code: MNO12	Location: AREA C	Grid Sq: 155/215 150/215	Context Type: MASONRY	Context Number: 878 3553 2/2
1. Materials	1. POSS. 3033			
2. Size of materials (brick: BTL in mm)	2. BTL OF 3033: 175mm x 52mm x 140mm (BROKEN)			
3. Finish of stones				
4. Coursing / bond				
5. Form				
6. Direction of face(s)				
7. Surface treatment				
8. Bonding material (if brick: record height of 4 courses & 4 bed joints in m)	8. SLIGHTLY SANDY BEDDING			
9. Dimensions of masonry as found				
10. Other comments	10. BASE IS PREDOMINATELY MADE FROM HALF BRICKS		Max Level:	m OD
			Min Level:	m OD

Stratigraphic Relationships:



Physical Relationships:

Abuts:	Abutted by:
Cut by:	

Interpretation:	<input checked="" type="checkbox"/> internal	<input type="checkbox"/> external
FULL INFO ON 1/2 [3553]		
Context same as:		

Sample No(s):	Drawing No(s): (x)
Photo No(s): 6531-6538	Sketch/levels overleaf: <input checked="" type="checkbox"/> Transferred to plan: <input checked="" type="checkbox"/>

Compiled by: JQ + PDM	Date: 02/06/15	Checked by: as l. d. s.	Tick when entered in database: <input type="checkbox"/>
---------------------------------	--------------------------	-----------------------------------	---

Level No.s
TBM/140
B/S 0.85
IH 12.25

Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

Level No.s
TBM
B/S
IH

No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)
1	1.81	10.44	6	1.90	10.35	11	2.11	10.14	16	1.98	10.27
2	2.05	10.20	7	1.88	10.37	12	2.00	10.25	17	2.18	10.07
3	1.90	10.35	8	2.09	10.16	13	1.92	10.33			
4	1.94	10.31	9	1.87	10.38	14	2.13	10.12			
5	2.06	10.19	10	1.85	10.37	15	1.92	10.33			

