


Site Code: MNO12	Location: AREA D	Grid Sq: 155 225	Context Type: FILL	Context Number: 4087 (4088)
Deposit				Cut
1. Compaction	1. loose			1. Shape in Plan
2. Colour	2. mid-dark grey brown			2. Corners
3. Composition	3. mchy sand (4-40mm)			3. Dimensions
4. Inclusions	4. mod. mod. mortar flecks, mod CBM frag.			4. Break of slope - Top
5. Interface	(2-6mm), occ charred flecks (0-4mm)			5. Sides
6. Dimensions	5. clear			6. Break of slope - Base
7. Other Comments	Text 6. 3.30m (E-W); 0.40m (N-S); 0.10m thick			7. Base
8. Method/Conditions	7. /			8. Orientation
	8. mattock, trowel / dry-hot			9. Inclination
				10. Truncation
				11. Other comments
				Max Level: 10.65 10.46 m OD
				Min Level: 10.60 10.41 m OD



Interpretation:	Internal	External <input checked="" type="checkbox"/>	Structural
<p>levelling fill for drain [4037]. After the drain has been taken out, a substantial amount of fill was dug between the actual cut for the drain and the level of the drain. The cut for [4037], which is [4038], cuts through the silting up (fill) and construction backfill of an earlier drain.</p>			
Context same as:			

Finds: None <input checked="" type="checkbox"/> Pot <input type="checkbox"/> Bone <input type="checkbox"/> Glass <input type="checkbox"/> Metal <input type="checkbox"/> CBM <input type="checkbox"/> Flint <input type="checkbox"/> Wood <input type="checkbox"/> Leather <input type="checkbox"/>	
Other (specify):	
Sample No(s):	Drawing No(s): <i>1</i> (x <i>1</i>)
Photo No(s): <i>A</i>	Sketch/levels overleaf: <input checked="" type="checkbox"/> Transferred to plan: <input checked="" type="checkbox"/>

Compiled by: <i>MK</i>	Date: 29-06-2015	Checked by: <i>W 2/10/15</i>	Tick when entered in database: <input type="checkbox"/>
---------------------------	---------------------	---------------------------------	---

Context Number:
4088

Level No.s 1-3

TBM 11.40

B/S ~~11.40~~ 0.66

IH ~~11.80~~ 12.06

Level No.s

TBM

B/S

IH

Level No.s

TBM

B/S

IH

Level No.s

TBM

B/S

IH

No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)
1	1.60	10.20 46									
2	1.60	10.20 46									
3	1.65	10.15 41									

