


Site Code: MNO12	Location: D	Grid Sq: 140/215	Context Type: DEP	Context Number: 4188
Deposit	① COMPACT / FIRM ② DARK GREYISH BROWN ③ SANDY SILT ④ FREQUENT OYSTER SHELL THROUGHOUT - MORE THAN (3989) ABOVE. MODERATE/OCCASIONAL CBM CHUNGS, WITH A LAYER OF BROWN TILE AT BASE.			Cut 1. Shape in Plan 2. Corners 3. Dimensions 4. Break of slope - Top 5. Sides 6. Break of slope - Base 7. Base 8. Orientation 9. Inclination 10. Truncation 11. Other comments
1. Compaction	Text OCCASIONAL GRAVEL, OCCASIONAL CHARLTON			
2. Colour				
3. Composition				
4. Inclusions				
5. Interface				
6. Dimensions				
7. Other Comments				
8. Method/Conditions				
⑤ - DIFFICULT ABOVE, VERY SIMILAR TO (3989) BUT EASY BELOW ONTO (4189) + (4190) ⑥ APPROX 0.6m DEEP MAX. 3.9m E-W AND APPROX. 10m N-S. ⑦ ALL FINDS * ASSIGNED TO (3989) DUE TO EXCAVATOR ERROR.				Max Level: 10.18 m OD Min Level: 10.48 m OD



Interpretation:	Internal	External	Structural
DUMP of MATERIAL COUPLED WITH SOIL ACCUMULATION IN AREAS BEHIND HOUSES. PROBABLY A SIMILAR BUT EARLIER process TO (3989). MIX OF SOIL BUILD UP AND DEBRIS/REFUSE FROM HOUSES AND OTHER BUILDINGS			
Context same as:			

Finds: None <input type="checkbox"/> Pot <input type="checkbox"/> Bone <input type="checkbox"/> Glass <input type="checkbox"/> Metal <input type="checkbox"/> CBM <input type="checkbox"/> Flint <input type="checkbox"/> Wood <input type="checkbox"/> Leather <input type="checkbox"/>	
Other (specify):	
Sample No(s):	Drawing No(s): 4188 (x) S. 82
Photo No(s):	Sketch/levels overleaf: <input type="checkbox"/> Transferred to plan: <input type="checkbox"/>

Compiled by: BJS	Date: 2/7/15	Checked by: 2/7/15	Tick when entered in database: <input type="checkbox"/>
----------------------------	------------------------	------------------------------	---

* FROM HAND DIG AREA
Context Record Sheet

L-P: ARCHAEOLOGY

Context Number:
4188

Level No.s	Level No.s	Level No.s	Level No.s
TBM	TBM	TBM	TBM
B/S	B/S	B/S	B/S
IH	IH	IH	IH

No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)
1		10.05	6		9.52						
2		10.05	7		9.48						
3		10.18	8		9.52						
4		9.59	9		9.53						
5		9.62									

