


Site Code: MNO12	Location: AREA B	Grid Sq: 115/210 or 115/205.	Context Type: MASONRY	Context Number: [2362]
1. Materials	① REDDY PURPLE UNFROGGED BRICKS			
2. Size of materials (brick: BTL in mm)	② 100 x 70 x 230 mm.			
3. Finish of stones	③ N/A.			
4. Coursing / bond	④ ATTEMPT AT ENGLISH BOND - SECTIONS HAVE HEADER ROW THEN UNDERNEATH STRETCHER ROW, BUT GENERALLY IRREGULAR PATTERN.			
5. Form	⑤ BRICK WALL FOR APSIDAL BUILDING.			
6. Direction of face(s)	⑥ FLAT, UP.			
7. Surface treatment	⑦ NONE. ^{WHITE} ^{HARD}			
8. Bonding material (if brick: record height of 4 courses & 4 bed joints in m)	⑧ PALE YELLOW, SANDY LIME MORTAR, OCCASIONAL SMALL LIME LUMPS < 10mm; OCCASIONAL SMALL SUB-ANGULAR STONES < 10mm; V. OCCASIONAL CHARCOAL FLECKS < 10mm. 4 COURSES = 0.31m.			
9. Dimensions of masonry as found	⑨ L 3.40m W 0.38m D 1.02m			
10. Other comments	⑩ NONE.			
			Max Level: 10.91 m OD	(R)
			Min Level: 9.62 m OD	

Stratigraphic Relationships:



Physical Relationships:

Abuts:	Abutted by:
Cut by: [2405] & [2029]	

Interpretation:	internal	external
REDDY PURPLE BRICK WALL FOR APSIDAL BUILDING.		
WALL TRUNCATED TO N BY CUT FOR SEWER [2405] & S BY CUT FOR CULVERT [2029].		
WALL HAS IRREGULAR BOND, PARTS OF THE WALL HAVE A ENGLISH BOND PATTERN, ALTHOUGH THIS IS NOT A CONSISTENT THEME FOR ENTIRE WALL. THERE IS ALSO A SOLDIER COURSE LOCATED 8 COURSES FROM THE TOP OF REMAINING WALL & 5 COURSES FROM THE BASE. THE WALL IS THREE ^{TWO} COURSES THICK. VARIATIONS IN BOND MAY BE RELATED TO APSIDAL SHAPE OF BUILDING. MORTAR IS A PALE YELLOW/WHITE LIME MORTAR, WITH FEW INCLUSIONS.		
Context same as:		

Sample No(s):	BRICK SAMPLE	Drawing No(s):	2362 (x 2)
Photo No(s):	✓	Sketch/levels overleaf:	<input checked="" type="checkbox"/>
		Transferred to plan:	<input checked="" type="checkbox"/>

Compiled by:	Date:	Checked by:	Tick when entered in database:
TS	03/02/15.	← 21.01.15	<input type="checkbox"/>

Context Number:

[2362]

Level No.s	(R)	Level No.s	Level No.s	Level No.s
TBM	11.80	11.50	TBM	TBM
B/S	1.18	1.18	B/S	B/S
IH	12.48	12.68	IH	IH

No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)	No.	F/S	R/L (m OD)
1	2.07	10.91	6	3.13	9.85	11	3.36	9.62			
2	2.05	10.93	7	2.39	10.59						
3	2.18	10.80	8	2.81	10.17						
4	2.19	10.79	9	2.96	10.02						
5	2.26	10.72	10	3.22	9.76						

- (R)
- 1 = 10.61
 - 2 = 10.63
 - 3 = 10.50
 - 4 = 10.49
 - 5 = 10.42
 - 6 = 9.55
 - 7 = 10.29
 - 8 = 9.87
 - 9 = 9.72
 - 10 = 9.46
 - 11 = 9.32.

